

Wyke House, Wyke Works, Hedon Road, Hull, E. Yorkshire, HU9 5NL
Tel: (01482) 714891


Certificate of Analysis

Date Issued	11 Sep 2026
Reference	MAS 263140 v.2

Product Name:	Semax 10mg
Product Code:	N/A
Batch Number:	SX260414-13
Date Received:	20 Aug 2026
Name of Customer:	Ultra Peptides
Name of Originator:	Ultra Peptides
PQS (if applicable):	N/A

Results		
Test Procedure	Result	Acceptance Criteria (limits)
Purity	99.3	>99%
Semax	9.9	>9.0mg

Photograph



QMS Section:	Documentation	Title:	Peptide Report	Reference:	FRM-0402
Prepared by:	Charlotte Pryor	Signature:	On Master Copy	Date:	07 Aug 2026
Approved by:	Christina Perry	Signature:	On Master Copy	Date:	07 Aug 2026
Date:	07 Aug 2026	Issue:	1	Page:	1 of 2




Marfleet Analytical Services

Wyke House, Wyke Works, Hedon Road, Hull, E. Yorkshire, HU9 5NL

Tel: (01482) 714891

Analytical data

Identification	Semax 10mg
Quantity	10mg
Purity	99.3%



Conclusions

Date test performed / finalized: **11 Sep 2026**

Name of Head of Laboratory / Authorized Person: **Martin Barnard BSc.**

This Certificate is Electronically Approved

This CoA or any portion thereof, cannot be reproduced without the authorization of the laboratory.

QMS Section:	Documentation	Title:	Peptide Report	Date:	FRM-0402
Title:	Peptide Report	Issue	01	Page:	2 of 2